

UNI 8™ HORIZONTAL LIFELINE



Uni 8™

HORIZONTAL LIFELINE CABLE SYSTEM



THE ULTIMATE IN FALL PROTECTION

PRODUCT SHEET



CABLE FALL PROTECTION SYSTEM

WORKING SAFELY AT HEIGHTS

A workplace is considered to be at height if a person could be injured when falling from it, even if it is at or below ground level. This means that work place risks need to be carefully assessed and appropriate and proportionate control measures implemented in order to mitigate such risks. The Uni 8™ Horizontal Lifeline System combined with good management controls provides a simple, yet comprehensive solution that will ensure compliance with current regulations in many circumstances.


The Uni 8™ product is well suited to modern building projects, refurbishments and can also be used for a wide range of industrial safety applications.

The product is high quality, while providing excellent value for money. In typical circumstances, the product can span up to 40ft (12m) between support brackets. Uni 8™ offers excellent functionality through it's free flowing bypass capability and can navigate corners and contours in building designs. Minimal moving parts and high grade materials ensure long life expectancy, low cost of ownership and add up to a sound investment. The system can be fitted to many types of structure and can also support multiple workers for both fall arrest and work restraint applications.

Detailed information to ensure safe system design and integration is provided by our comprehensive Uniline for Windows software program and further enhanced by a comprehensive installation network.




ROBUST, FUNCTIONAL COST EFFECTIVE



FEATURES & BENEFITS

- High quality 316 stainless steel cable fall protection system offering excellent freedom of movement
- Navigates corners and building contours
- In line energy absorbers protect buildings and structures
- Spans of up to 40ft (12m) between intermediate supports
- Electropolished components provide long-term corrosion resistance**
- A discreet and unobtrusive solution
- System performance calculated using design software
- Conforms to EN795 Class C, OSHA 1915.159 & 1926.502M, ANSI Z359.1 2007 and AS/NZS 1891.2
- CE Marked

**some aggressive environments can cause corrosion and discoloration of stainless steel




UNIEYE END ANCHORAGE CONNECTOR

316 Stainless Steel, electropolished, Serial Numbered – 15,000lbs (67kN) min breaking strength

UNI 8™ 90 AND 45 DEGREE CORNERS

316 Stainless Steel, electropolished. Other angles achieved using variable brackets.



UNI 8™ SYSTEM TENSIONER

316 Stainless Steel with anti-seizure tensioning unit and tension indicator disc



UNI 8™ SYSTEM LAYOUT



UNIGRAB ATTACHMENT DEVICE

Weighs only 0.64lbs (0.29kg) and fits in the palm of your hand. Can be attached at any point along the system. 316 stainless steel, electropolished and serial numbered.



UNI 8™ SWAGE TOGGLES

316 Stainless Steel.




WALL ANCHOR PLATE

316 stainless steel, electro-polished.
11,240lbs (50kN) min breaking strength.



UNI 8™ INTERMEDIATE BRACKET

316 stainless steel, electropolished. Variable positioning available to suit a range of applications. Re-orientates load in the event of a fall.



8MM (5/16") 7X7 316 STAINLESS STEEL CABLE

Min breaking strength 8,540lbs (38kN).

8MM TUBE ONLY 90°

UNIGRAB

8MM INTERMEDIATE BRACKET

7X7 8MM STAINLESS STEEL CABLE

8MM TUBE ONLY 45°

8MM HEX SWAGE 0.8KN TENSIONER

UNIEYE

INLINE ENERGY ABSORBER

316 stainless steel, electro-polished.



Fasteners for fixing to the structure are not supplied. For more detailed component information refer to the individual datasheets.

EVACUATION & RESCUE AT HEIGHT



Many people engaged in Roofwork are actively using harnesses, lanyards and anchor points as part of their every day work activities. If they fall from or through a roof while attached to an anchor point it is unlikely they will be able to recover themselves. In this case, someone will need to recover the fallen worker in a safe and timely manner to prevent further trauma and in extreme cases, death. Capital Safety make rescue planning straightforward with their comprehensive product and service offer.

Using Capital Safety's extensive experience we have put together a number of standard kits to ensure that you are equipped for every eventuality within your industry or sector.



INDUSTRY ROOFING RESCUE & EVACUATION KIT





INNOVATION THAT BRINGS WORKERS AT HEIGHT HOME SAFELY.

Capital Safety is a global company solely dedicated to fall protection and rescue. Our focus is razor sharp. And it continually drives us to design and manufacture the safest possible height safety gear.

We understand the industries we serve and listen to the workers in the field. We employ the best engineers to create innovative solutions and patent the products that keep workers safe at heights around the world. Capital Safety has the best quality and largest range of fall protection products in the industry. But we're more than a product company.

We take an innovative approach in bringing our products to the field. We have created international partnerships and a vast network of authorized distributors, certified installers and service centers. We offer on-site and in-house training. And we're ISO 9001-2000 certified for customer service, as well as manufacturing and engineering.

Capital Safety is one of the world's leading manufacturers of fall protection and rescue equipment, with decades of experience and a legacy of innovation. Look for complete solutions in our extensive line of DBI-SALA®, Uniline® and Protecta® products.



Capital Safety - USA: 800 328 6146
Canada: 800 387 7484 | Latin America: +1 651 385 4301
Asia: +65 65587758 | Germany: +49 7195 977 11 14
New Zealand: 0800 212 505 | Australia: 1800 245 002
Europe, Middle East, Africa: +33 (0)4 97 10 00 10
Northern Europe: +44 (0)1527 548000
www.capitalsafety.com info@capitalsafety.com